



Omnidirectional Antenna



- Model: FTQ-0827QX0204AN
- Name: Omnidirectional Antenna
- Freq.Range: 824 to 960 / 1710 to 2690 MHz
- Communications system: WLAN/WIFI/ISM, GSM/CDMA/EGSM/DCS1800/MMDS, TD-SCDMA/WCDMA/TDD&FDD-LTE, Wireless trunking communication system, Vehicle-mounted mobile communication
- Application scenario:
Client antenna, Wireless video link,
Wireless data and image transmission,
Internet of Things

Tip: Pictures are for reference only.
Please refer to physical objects.

Electrical Specifications

Freq.Range-MHz	824 to 960	1710 to 2690
Bandwidth-MHz	136	980
Gain-dBi	2.15	4
Half-power beam width-°	H:360	E:35
Impedance-Ω	50	
VSWR	≤ 2.0	
Polarization	Vertical	
Max.Power-W	50	

Mechanical Specifications

Connector	N male
Connector Position	Bottom
Dimension-MM	About Φ23.8×275
Weight-G	About 150
Radome material	ABS
Radome color	Gray
Operational Temperature-°C	-40 to 60
Storage Temperature-°C	-55 to 85
Waterproof level	IP65
Frontal area	63c m ²
Mounting way	Working with N-type seat