



Directional Yagi Antenna



- Model: FTD-24BM10V06R
- Name: Directional Yagi Antenna
- Freq.Range: 2400 to 2483 MHz
- Communications system:
2.4GHz WLAN/WIFI/ISM/WIMAX,
Spread Spectrum Communication
- Application scenario:
Point to point, Point to multipoint,
Long-distance communication,
Client antenna, IEEE802.11b/g

Tip: Pictures are for reference only.
Please refer to physical objects.

Electrical Specifications

Freq.Range-MHz	2400 to 2483
Bandwidth-MHz	83
Unit	6
Polarization	Vertical or Horizontal
Gain-dBi	10
Horizontal Beamwidth-°	55
Vertical Beamwidth-°	55
F/B-dB	≥ 16
Impedance-Ω	50
VSWR	≤ 1.5
Max.Power-W	50

Mechanical Specifications

Connector	RPTNC male or customized
Connector Position	Cable outgoing
Dimension-MM	About 190×127×80
Weight-KG	About 0.2
Radome material	ABS
Operational Temperature-°C	-40 to 60
Storage Temperature-°C	-55 to 85
Relative Humidity-%	5 to 95
Rated Wind Velocity-M/S	60
Mounting way	Mast
Mast Diameter-MM	Φ30 to 50



Installation Demonstrations

